

Project: _____
 Part#: _____
 Type: _____

2/4/8' Round Strip LED Light

Closest Rated



Optional Suspension Kit (MSK-SK)
 Suspends up to 3 feet

The EnVision Round Strip LED Light is an LED strip primarily used in general and decorative lighting environments in, such as offices, meeting rooms, and even hospitals. Sporting a constant current of 20w and now changable wattages, our 2' LED Strip is perfect for any environment. Made with a housing of die formed painted steel, this LED Strip also has a 50,000-hour LED lifespan. These 3CCT selectable color temp LED Strips are also compatible with motion sensor and backup batteries, perfect for hotels and subway stations as well, with changable colors between 3000K, 4000K, and 5000K

Applications:

- Hotel, Hallway, and Lobby Lighting
- School and Hospital Lighting
- Restaurant Lighting
- Office and Meeting Room Lighting
- Closet Rated

Product Information:


- Environmental friendly polyester powder coated
- Die formed painted steel
- 50,000-hour LED lifespan based on IES LM-90 results
- Suitable for Damp Location
- 0-10V Dimmable



1 Product	2	Size/Wattage	3	Color	4	Accessories	5	Warranty
LED-RST	2FT-20W 4FT-3M40W 8FT-3M70W	2' / 20w / 2,600lm 4' / 20/30/40w 2,600lm (20w) , 3,900lm (30w) , 5,200lm (40w) 8' / 50/60/70w 6,500lm (50w) , 7,800lm (60w) , 9,100lm (70w)	TRI	3CCT Selectable: 30/40/50K	(Blank) BMS EMB BMS-EMB	None Bi Level Motion Sensor Emergency Backup (Internal 20W) Bi Level Motion Sensor + Emergency Backup (Internal 20W)	(Blank) 10YR	5 Years (Incl.) 10 Years

Power Changable only available in 4FT and 8FT

Specs and model numbers are subject to change with or without notice

FEATURES

REFERENCE TABLES




Single Wattage

Trim Model	Description
LED-RST-2FT-3M40W-TRI	2 FT Round Strip LED Light 3CCT
LED-RST-2FT-3M40W-TRI-BMS	2 FT Round Strip LED Light 3CCT with Bi-Level Motion Sensor
LED-RST-2FT-3M40W-TRI-EMB	2 FT Round Strip LED Light 3CCT with Emergency Backup
LED-RST-2FT-3M40W-TRI-BMS-EMB	2 FT Round Strip LED Light 3CCT with Emergency Backup + Bi Level

3-Power and 3CCT Selectable

Trim Model	Description
LED-RST-4FT-3M40W-TRI	4 FT Round Strip LED Light 3CCT
LED-RST-4FT-3M40W-TRI-BMS	4 FT Round Strip LED Light 3CCT with Bi-Level Motion Sensor
LED-RST-4FT-3M40W-TRI-EMB	4 FT Round Strip LED Light 3CCT with Emergency Backup
LED-RST-4FT-3M40W-TRI-BMS-EMB	4 FT Round Strip LED Light 3CCT with Emergency Backup + Bi Level
LED-RST-8FT-3M60W-TRI	8 FT Round Strip LED Light 3CCT
LED-RST-8FT-3M60W-TRI-BMS	8 FT Round Strip LED Light 3CCT with Bi-Level Motion Sensor
LED-RST-8FT-3M60W-TRI-EMB	8 FT Round Strip LED Light 3CCT with Emergency Backup
LED-RST-8FT-3M60W-TRI-BMS-EMB	8 FT Round Strip LED Light 3CCT with Emergency Backup + Bi Level

DIMENSIONS



MOTION SENSOR FEATURES



Daylight sensor



Hold time



On/off control



Detection area




Stand-by dimming level




Stand-by period


MOTION SENSOR DIMENSIONS





MOTION SENSOR WIRING DIAGRAM




FIXTURE PHOTOMETRICS



2FT Photometrics



4FT Photometrics



MOTION SENSOR COVERAGE AREA

Ceiling Mounted

