



4 SPORTS ELITE MODELS

400w – 52,000 Lumen
 600w – 78,000 Lumen
 1000w – 130,000 Lumen
 1200w – 156,000 Lumen
 All models include yoke mounting bracket

Options include glare hood, slip fitter bracket, and HD surge arrester



ETI ADVANTAGE



- ✓ Complete product assortment from 400w to 1200w + accessories
- ✓ 7 beam angle options (options depending on model)
- ✓ Cold-forged heat sink for superior heat management
- ✓ IP65 water proof rating
- ✓ 6kV integrated surge (20kV optional)
- ✓ Powder coated finish with proprietary anti-corrosion primer
- ✓ Optional laser alignment tool

Technology

- Cold-forged 1070 Aluminum heat sink design delivers unrivaled heat management
- Rugged IP65 design ensures unrivaled durability in harsh environments
- Precision-engineered optics direct light precisely where it is needed
- Robust, versatile yoke mounting bracket is designed to make installation easy

Control

- Available in 12°, 15°, 30°, 40°, 45°, 60° and 120° (Depending on model)
- 0-10V dimmable

Features & Specifications

- 13 Models from 400w to 1200w LED
- Yoke mounting bracket
- LED Driver bracket with IP65 connectors
- 25' whip cord
- 5000K CCT Standard
- 120-277V or 277V-480V
- →70CRI
- Temp rating -4°F – 113°F
- L70 →50,000
- 5 Year limited warranty
- EPA Rating
 - 400-500W 1.49 ft.²
 - 600-750W 2.5 ft.²
 - 1000-1200W 3.14 ft.²



Slip Fitter Bracket



Laser Alignment Tool



20kV Surge Protectors



PART NUMBER GUIDE

CATEGORY	WATTS	LUMENS	CRI	CCT	VOLTAGE	BEAM
SLTR			70	50K		XXD

PRODUCT/SKU DETAILS - STANDARD VOLTAGE

GENERAL SPECIFICATIONS:

Voltage	120-277VAC	Frequency	50/60 Hz.	CRI	70
Power Factor	>.90	THD	< 20%	Rating	cULus Wet
Temperature	-4°F to +113°F	Rated Life	50,000 hrs.	Warranty	5 Year Limited

ORDERING GUIDE

Part #	Model #	Description	Watts	Lumens	LPW	Beam	CCT	Product Dim.	Case Pack
SLTR-400W-52KLM-7-50K-MV-30D	60502261	400W Sportlighter flood, 30° beam	400w	52,000	130	30°	5000K	15.8 x 15.6 x 16.1"	1
SLTR-400W-52KLM-7-50K-MV-40D	60505261	400W Sportlighter flood, 40° beam	400w	52,000	130	40°	5000K	15.8 x 15.6 x 16.1"	1
SLTR-400W-52KLM-7-50K-MV-120D	60504261	400W Sportlighter flood, 120° beam	400w	52,000	130	120°	5000K	15.8 x 15.6 x 15.1"	1
SLTR-600W-78KLM-7-50K-MV-15D	60501361	600W Sportlighter flood, 15° beam	600w	78,000	130	15°	5000K	20.5 x 18.4 x 20.5"	1
SLTR-600W-78KLM-7-50K-MV-40D	60505361	600W Sportlighter flood, 40° beam	600w	78,000	130	40°	5000K	20.5 x 18.4 x 20.5"	1
SLTR-1000W-130KLM-7-50K-MV-12D	60511461	1000W Sportlighter flood, 12° beam	1000w	130,000	130	12°	5000K	22.7 x 20.4 x 22.48"	1
SLTR-1000W-130KLM-7-50K-MV-30D	60502461	1000W Sportlighter flood, 30° beam	1000w	130,000	130	30°	5000K	22.7 x 20.4 x 22.48"	1
SLTR-1000W-130KLM-7-50K-MV-45D	60506461	1000W Sportlighter flood, 45° beam	1000w	130,000	130	45°	5000K	22.7 x 20.4 x 22.48"	1
SLTR-1000W-130KLM-7-50K-MV-60D	60503461	1000W Sportlighter flood, 60° beam	1000w	130,000	130	60°	5000K	22.7 x 20.4 x 22.48"	1
SLTR-1200W-156KLM-7-50K-MV-12D	60511561	1200W Sportlighter flood, 12° beam	1200w	156,000	130	12°	5000K	22.7 x 20.4 x 22.48"	1
SLTR-1200W-156KLM-7-50K-MV-30D	60502561	1200W Sportlighter flood, 30° beam	1200w	156,000	130	30°	5000K	22.7 x 20.4 x 22.48"	1
SLTR-1200W-156KLM-7-50K-MV-40D	60505561	1200W Sportlighter flood, 40° beam	1200w	156,000	130	40°	5000K	22.7 x 20.4 x 22.48"	1

Accessories

SLTR-GH-SM	70701101	Glare Hood - Compatible with all 400w models	N/A	N/A	N/A	N/A	N/A	N/A	1
SLTR-GH-MD	70701102	Glare Hood - Compatible with all 600w models	N/A	N/A	N/A	N/A	N/A	N/A	1
SLTR-GH-LG	70701103	Glare Hood - Compatible with all 1000w and 1200w models	N/A	N/A	N/A	N/A	N/A	N/A	1
SLTR-SF-SM	70301301	Slip Fitter Bracket - Compatible with all 400w models	N/A	N/A	N/A	N/A	N/A	N/A	1
SLTR-SF-LG	70301401	Slip Fitter Bracket - Compatible with all 600w, 1000w, 1200w models	N/A	N/A	N/A	N/A	N/A	N/A	1
SLTR-SP-SM	70801101	20 kV Surge Protector - Compatible with all 400w models	N/A	N/A	N/A	N/A	N/A	N/A	1
SLTR-SP-LG	70801102	20 kV Surge Protector - Compatible with all 600w, 1000w, and 1200w models	N/A	N/A	N/A	N/A	N/A	N/A	1
SLTR-LA-LP	70901101	Laser alignment too 20 kV Surge Protector - Compatible with all models	N/A	N/A	N/A	N/A	N/A	N/A	1

PRODUCT/SKU DETAILS - HIGH VOLTAGE


GENERAL SPECIFICATIONS:

Voltage	277-480VAC	Frequency	50/60 Hz.	CRI	70
Power Factor	>.90	THD	< 20%	Rating	cULus Wet
Temperature	-4°F to +113°F	Rated Life	50,000 hrs.	Warranty	5 Year Limited


ORDERING GUIDE

Part #	Model #	Description	Watts	Lumens	LPW	Beam	CCT	Product Dim.	Case Pack
SLTR-1200W-156KLM-7-50K-MV-60D	60503561	1200W Sportlighter flood, 60° beam	1200w	156,000	130	60°	5000K	22.7 x 20.4 x 22.48"	1
SLTR-400W-52KLM-7-50K-HV-30D	60502661	400W Sportlighter flood, 30° beam	400w	52,000	130	30°	5000K	21.8 x 15.8 x 16.1"	1
SLTR-400W-52KLM-7-50K-HV-40D	60505661	400W Sportlighter flood, 40° beam	400w	52,000	130	40°	5000K	21.8 x 15.8 x 16.1"	1
SLTR-400W-52KLM-7-50K-HV-120D	60504661	400W Sportlighter flood, 120° beam	400w	52,000	130	120°	5000K	21.8 x 15.8 x 16.1"	1
SLTR-600W-78KLM-7-50K-MV-15D	60501761	600W Sportlighter flood, 15° beam	600w	78,000	130	15°	5000K	26.5 x 20.6 x 20.5"	1
SLTR-600W-78KLM-7-50K-HV-40D	60505761	600W Sportlighter flood, 40° beam	600w	78,000	130	40°	5000K	26.5 x 20.6 x 20.5"	1
SLTR-1000W-130KLM-7-50K-HV-12D	60511861	1000W Sportlighter flood, 12° beam	1000w	130,000	130	12°	5000K	29.1 x 22.7 x 22.5"	1
SLTR-1000W-130KLM-7-50K-HV-30D	60502861	1000W Sportlighter flood, 30° beam	1000w	130,000	130	30°	5000K	29.1 x 22.7 x 22.5"	1
SLTR-1000W-130KLM-7-50K-HV-45D	60506861	1000W Sportlighter flood, 45° beam	1000w	130,000	130	45°	5000K	29.1 x 22.7 x 22.5"	1
SLTR-1000W-130KLM-7-50K-HV-60D	60503861	1000W Sportlighter flood, 60° beam	1000w	130,000	130	60°	5000K	29.1 x 22.7 x 22.5"	1
SLTR-1200W-156KLM-7-50K-HV-12D	60511961	1200W Sportlighter flood, 12° beam	1200w	156,000	130	12°	5000K	29.1 x 22.7 x 22.5"	1
SLTR-1200W-156KLM-7-50K-HV-30D	60502961	1200W Sportlighter flood, 30° beam	1200w	156,000	130	30°	5000K	29.1 x 22.7 x 22.5"	1
SLTR-1200W-156KLM-7-50K-HV-40D	60505961	1200W Sportlighter flood, 40° beam	1200w	156,000	130	40°	5000K	29.1 x 22.7 x 22.5"	1
SLTR-1200W-156KLM-7-50K-HV-60D	60503961	1200W Sportlighter flood, 60° beam	1200w	156,000	130	60°	5000K	29.1 x 22.7 x 22.5"	1


DIMENSIONAL LINE DRAWINGS



SP01 600-750W (With shield)



SP01 400-500W (With shield)



SP01 1000-1200W (With shield)

PACKAGING SPECIFICATIONS

Part #	Model #	UPC	UCC	Inner Carton Dimensions	Product Carton Weight	Shipper/Master Carton Dimensions	Shipper/Master Carton Weight	Shipper Carton Pack
SLTR-400W-52KLM-7-50K-MV-30D	60502261	849489063317	50849489063312	N/A	36.5 lbs.	18.9 x 18.9 x 18.5 in.	36.5 lbs.	1
SLTR-400W-52KLM-7-50K-MV-40D	60505261	849489063324	50849489063329	N/A	36.5 lbs.	18.9 x 18.9 x 18.5 in.	36.5 lbs.	1
SLTR-400W-52KLM-7-50K-MV-120D	60504261	849489063331	50849489063336	N/A	36.5 lbs.	18.9 x 18.9 x 18.5 in.	36.5 lbs.	1
SLTR-600W-78KLM-7-50K-MV-15D	60501361	849489063348	50849489063336	N/A	70.4 lbs.	24.8 x 22.4 x 22.2 in.	70.4 lbs.	1
SLTR-600W-78KLM-7-50K-MV-40D	60505361	849489063355	50849489063350	N/A	70.4 lbs.	24.8 x 22.4 x 22.2 in.	70.4 lbs.	1
SLTR-1000W-130KLM-7-50K-MV-12D	60511461	849489063379	50849489063374	N/A	82.72 lbs.	26.8 x 24.8 x 23.0 in.	82.72 lbs.	1
SLTR-1000W-130KLM-7-50K-MV-30D	60502461	849489063386	50849489063381	N/A	82.72 lbs.	26.8 x 24.8 x 23.0 in.	82.72 lbs.	1
SLTR-1000W-130KLM-7-50K-MV-45D	60506461	849489063362	50849489063367	N/A	82.72 lbs.	26.8 x 24.8 x 23.0 in.	82.72 lbs.	1
SLTR-1000W-130KLM-7-50K-MV-60D	60503461	849489063393	50849489063398	N/A	82.72 lbs.	26.8 x 24.8 x 23.0 in.	82.72 lbs.	1
SLTR-1200W-156KLM-7-50K-MV-12D	60511561	849489063409	50849489063404	N/A	88 lbs.	22.7 x 20.0 x 22.5 in.	88 lbs.	1
SLTR-1200W-156KLM-7-50K-MV-30D	60502561	849489063416	50849489063411	N/A	88 lbs.	22.7 x 20.0 x 22.5 in.	88 lbs.	1
SLTR-1200W-156KLM-7-50K-MV-40D	60505561	849489063447	50849489063442	N/A	88 lbs.	22.7 x 20.0 x 22.5 in.	88 lbs.	1

Accessories

SLTR-GH-LG	70701102	N/A	N/A	N/A	N/A	N/A	N/A	N/A
SLTR-GH-LG	70701103	N/A	N/A	N/A	N/A	N/A	N/A	N/A
SLTR-SF-SM	70301301	N/A	N/A	N/A	N/A	N/A	N/A	N/A
SLTR-SF-LG	70301401	N/A	N/A	N/A	N/A	N/A	N/A	N/A
SLTR-SP-SM	70801101	N/A	N/A	N/A	N/A	N/A	N/A	N/A
SLTR-SP-LG	70801102	N/A	N/A	N/A	N/A	N/A	N/A	N/A
SLTR-LA-LP	70901101	N/A	N/A	N/A	N/A	N/A	N/A	N/A

Part #	Model #	UPC	UCC	Inner Carton Dimensions	Product Carton Weight	Shipper/Master Carton Dimensions	Shipper/Master Carton Weight	Shipper Carton Pack
SLTR-400W-52KLM-7-50K-HV-30D	60502661	849489063430	50849489063435	N/A	36.5 lbs.	18.9 x 18.9 x 18.5 in.	36.5 lbs.	1
SLTR-400W-52KLM-7-50K-HV-40D	60505661	849489063621	50849489063626	N/A	36.5 lbs.	18.9 x 18.9 x 18.5 in.	36.5 lbs.	1
SLTR-400W-52KLM-7-50K-HV-120D	60504661	849489063454	50849489063459	N/A	36.5 lbs.	18.9 x 18.9 x 18.5 in.	36.5 lbs.	1
SLTR-600W-78KLM-7-50K-MV-15D	60501761	849489063461	50849489063466	N/A	70.4 lbs.	24.8 x 22.4 x 22.2 in.	69.5 lbs.	1
SLTR-600W-78KLM-7-50K-HV-40D	60505761	849489063478	50849489063473	N/A	70.4 lbs.	24.8 x 22.4 x 22.2 in.	69.5 lbs.	1
SLTR-1000W-130KLM-7-50K-HV-12D	60511861	849489063492	50849489063497	N/A	82.7 lbs.	26.8 x 24.8 x 23.0 in.	84.5 lbs.	1
SLTR-1000W-130KLM-7-50K-HV-30D	60502861	849489063508	50849489063503	N/A	82.7 lbs.	26.8 x 24.8 x 23.0 in.	84.5 lbs.	1
SLTR-1000W-130KLM-7-50K-HV-45D	60506861	849489063485	50849489063480	N/A	82.7 lbs.	26.8 x 24.8 x 23.0 in.	83.6 lbs.	1
SLTR-1000W-130KLM-7-50K-HV-60D	60503861	849489063515	50849489063510	N/A	82.7 lbs.	26.8 x 24.8 x 23.0 in.	83.6 lbs.	1
SLTR-1200W-156KLM-7-50K-HV-15D	60511961	849489063638	50849489063633	N/A	88 lbs.	26.8 x 24.8 x 23.0 in.	88 lbs.	1
SLTR-1200W-156KLM-7-50K-HV-30D	60502961	849489063546	50849489063541	N/A	88 lbs.	26.8 x 24.8 x 23.0 in.	88 lbs.	1
SLTR-1200W-156KLM-7-50K-MV-60D	60503561	849489063423	50849489063428	N/A	88 lbs.	22.7 x 20.0 x 22.5 in.	88 lbs.	1